

# Discovering the iOS Instruments Server

Troy Bowman

Hex-Rays

[troy@hex-rays.com](mailto:troy@hex-rays.com)

Recon Montreal 2018


# Purpose of This Talk

- Share our discoveries
- Document all of our steps
- Fun!

# What is Instruments?

- Instruments is a set of debugging tools developed by Apple:
  - Time Profiling
  - Leak Checking
  - Tracking File I/O
- All of these tasks can be performed on iOS apps as well
- To do this, Apple implements a server that is designed to provide iOS debugging statistics to the Instruments front-end running on OSX
- This server is a goldmine of useful info

# What We Want



- How does the server transmit info to OSX? Could IDA interact with it?
- Start with a specific objective: **find out how Xcode queries the Instruments server for the process list** (i.e. the name of each process running on the target device, along with its PID)

# What We Know

- Somehow, we'll have to communicate with an internal iOS process (normally forbidden on iOS)
- MobileDevice.framework provides ability for OSX apps to communicate with certain iOS processes, a.k.a. "Services"
- This is how IDA communicates with the iOS debugserver
- If we're lucky, there is also a Service for the Instruments server:

```
$ hdiutil mount DeveloperDiskImage.dmg
```

- com.apple.debugserver.plist
- com.apple.instruments.remoteserver.plist
- com.apple.instruments.deviceservice.plist

```
// launch the debugserver service
static bool start_dbgsrv(void *device_handle)
{
    void *srv_handle = NULL;

    mach_error_t err = AMDeviceSecureStartService(
        device_handle,
        CFSTR("com.apple.debugserver"),
        &srv_handle);

    if ( err != 0 )
        return false;

    char buf[1024];
    size_t nrecv = AMDSERVICEConnectionReceive(
        srv_handle,
        buf,
        sizeof(buf));

    printf("received %llx bytes\n", nrecv);
    return true;
}
```


# DVTInstrumentsFoundation

```
__text:00000001000F96F4
__text:00000001000F96F4 ; ===== S U B R O U T I N E =====
__text:00000001000F96F4
__text:00000001000F96F4 ; Attributes: bp-based frame
__text:00000001000F96F4
__text:00000001000F96F4 ; id __cdecl -[DTDeviceInfoService runningProcesses](DTDeviceInfoService *self, SEL)
__text:00000001000F96F4 __DTDeviceInfoService_runningProcesses_ ; DATA XREF: __objc_const:00000001001935C8 o
__text:00000001000F96F4
__text:00000001000F96F4 var_250          = -0x250
__text:00000001000F96F4 var_230          = -0x230
__text:00000001000F96F4 ...
__text:00000001000F96F4
__text:00000001000F96F4 STP    X28, X27, [SP,#-0x10+var_50]!
__text:00000001000F96F8 STP    X26, X25, [SP,#0x50+var_40]
```

- Binaries DTServiceHub, DVTInstrumentsFoundation implement core functionality of the Instruments server
- In DVTInstrumentsFoundation we find an interesting method: `-[DTDeviceInfoService runningProcesses]`
- This method calls `+[NSProcessInfo processInfo]`, then populates an `NSMutableArray` with a description of each process, and returns it
- Great! It looks like we are on the right track. But...
  - There are no xrefs to this method
  - Selector “runningProcesses” appears nowhere else in the iOS developer tools
  - Who calls it?? A stack trace would help...

# DTXMessage

- DTXMessage class is responsible for serializing/deserializing Objective-C messages
- An instance of this class can encode all the information necessary to call a given Objective-C method:



- The Instruments server is invoking critical logic by reading serialized messages from a buffer. What is the source of this serialized data?

# DTXMessage

One thread reads serialized messages from a buffer:

```
00000001816A1014    libsystem_kernel.dylib    _semaphore_wait_trap+8
000000018157E3E4    libdispatch.dylib        __dispatch_semaphore_wait_slow+F0
00000001000C8C4C    DTXConnectionServices    -[DTXMessageParser waitForMoreData:incrementalBuffer:]+68
00000001000C87A4    DTXConnectionServices    -[DTXMessageParser parseMessageWithExceptionHandler:]+40
00000001000C8510    DTXConnectionServices    -[DTXMessageParser initWithMessageHandler:andParseExceptionHandler:]_block_invoke+24
000000018156D4B8    libdispatch.dylib        __dispatch_call_block_and_release+14
```

After each message is parsed, another thread is dispatched to perform the invocation:

```
00000001001096F4    DVTInstrumentsFoundation  id __cdecl -[DTDeviceInfoService runningProcesses](DTDeviceInfoService *self, SEL)
0000000181B28ADC    CoreFoundation            __invoking__+8C
0000000181A20544    CoreFoundation            -[NSInvocation invoke]+118
00000001000CD3D0    DTXConnectionServices    -[DTXMessage invokeWithTarget:replyChannel:validator:]+2C8
00000001000C49980    DTXConnectionServices    -[DTXChannel _scheduleMessage:tracker:withHandler:]_block_invoke697+7C
000000018156D4B8    libdispatch.dylib        __dispatch_call_block_and_release+14
```



# DTXMessage

Browsing through the Xcode IDE binaries, we find this in IDEiPhoneSupport:

```
void __cdecl +[DVTiPhoneProcessInformation requestCurrentProcessInformationsForDevice:usePairedDevice:resultHandler:]  
{  
    id v1;  
    id v2;  
    Block_layout_5803 v3;  
  
    v1 = objc_msgSend(a3, "primaryInstrumentsServer");  
    v2 = objc_msgSend(v1, "makeChannelWithIdentifier:", CFSTR("com.apple.instruments.server.services.deviceinfo"));  
    if ( v2 )  
    {  
        v3.isa = __NSConcreteStackBlock;  
        v3.flags = 0xC2000000;  
        v3.reserved = 0;  
        v3.invoke = requestCurrentProcessInformationsForDevice_block_invoke;  
        v3.descriptor = &__block_descriptor_tmp_62;  
        v3.lvar1 = objc_retain(v2);  
        objc_msgSend(&OBJC_CLASS___DVTFuture, "futureWithBlock:", &v3);  
    }  
}  
  
// call -[DTDeviceInfoService runningProcesses] in the Instruments server process  
void __cdecl requestCurrentProcessInformationsForDevice_block_invoke(Block_layout_5803 *a1)  
{  
    id v1;  
  
    v1 = objc_msgSend(&OBJC_CLASS___DTXMessage, "messageWithSelector:objectArguments:", "runningProcesses", NULL);  
    objc_msgSend(a1->lvar1, "sendControlAsync:replyHandler:", v1, NULL);  
}
```

found the selector of our favourite method. curious...

runningProcesses



# DTXMessage

- This critical piece of code is actually a decompiled block function. The original source would probably look something like:

```
@implementation DVTiPhoneProcessInformation
+ (void) requestCurrentProcessInformationForDevice:(id)device
{
    id server = [device primaryInstrumentsServer];
    id channel = [server makeChannelWithIdentifier:@"com.apple.instruments.server.services.deviceinfo"];
    if ( channel )
    {
        [DVTFuture futureWithBlock:^(
            [channel sendControlAsync:[DTXMessage messageWithSelector:@"runningProcesses" objectArguments:nil]);
        }];
    }
}
@end
```

- Conclusion: DTXMessage is a mechanism for transmitting Objective-C messages over the network. This allows a process to effectively “call” a given method in another process (that could be running on a totally separate device)

# DTXMessage

- Now what?
- It is possible to reverse-engineer the format of serialized Objective-C messages from the disassembly, but this is an uphill battle
- Even if we understand message serialization perfectly, it still doesn't tell the whole story. What if the server only responds to a specific sequence of messages?
- An alternate approach would be to obtain samples of the raw data transmitted over the wire. A static + dynamic approach has a higher probability of success.
- Again, iOS debugger to the rescue!

# DTXMessage

Specially placed breakpoints would allow us to log each serialized message received by the server:

```
__cdecl -[DTXMessageParser parseMessageWithExceptionHandler:](DTXMessageParser *self, SEL a2, id a3)
{
    _DWORD *v1;
    _DWORD *v2;
    id v3;

    // read the message header
    v1 = -[DTXMessageParser waitForMoreData:incrementalBuffer:](self, "waitForMoreData:incrementalBuffer:", 32LL, 0LL);
    if ( !v1 )
        return NULL;

    // validate header
    if ( *v1 != 0x1F3D5B79 )
        __assert_rtn("DTX_MESSAGE_MAGIC");

    // read the complete payload
    v1 = -[DTXMessageParser waitForMoreData:incrementalBuffer:](self, "waitForMoreData:incrementalBuffer:", v1[3], &v2);
    if ( !v1 )
        return NULL;

    // initialize a DTXMessage from the raw data
    v3 = objc_msgSend(&OBJC_CLASS__DTXMessage, "alloc");
    v3 = -[DTXMessage initWithSerializedForm:length:destructor:compressor:](
        v3,
        "initWithSerializedForm:length:destructor:compressor:",
        v2,
        v1[3],
        NULL,
        self->_compressor);

    return v3;
}
```

return value is a pointer to the message buffer

# dtxmsg

- I developed an IDA plugin to log the messages automatically:

<https://github.com/troybowman/dtxmsg>

- The plugin uses the decompiler's microcode to detect where and when the serialized messages will be available in memory, and dumps the bytes to a file
- For more on the microcode, see Ilfak's [talk](#) at Recon Brussels 2018
- The plugin can also deserialize each intercepted message and print the payload to a file in plain text (more on this later)

# Anatomy of a DTXMessage

0x1F3D5B79: DTX\_MESSAGE\_MAGIC

```
00000000: 795b 3d1f 2000 0000 0000 0100 ac00 0000 y[=. ....
00000010: 0400 0000 0000 0000 0100 0000 0100 0000 .....
00000020: 0210 0000 0000 0000 9c00 0000 0000 0000 .....
00000030: 6270 6c69 7374 3030 d401 0203 0405 0609 bplist00.....
00000040: 0a58 2476 6572 7369 6f6e 5824 6f62 6a65 .X$versionX$obje
00000050: 6374 7359 2461 7263 6869 7665 7254 2474 ctsY$archiverT$t
00000060: 6f70 1200 0186 a0a2 0708 5524 6e75 6c6c op.....U$null
00000070: 5f10 1072 756e 6e69 6e67 5072 6f63 6573 _..runningProces
00000080: 7365 735f 100f 4e53 4b65 7965 6441 7263 ses_..NSKeyedArc
00000090: 6869 7665 72d1 0b0c 5472 6f6f 7480 0108 hiver...Troot...
000000a0: 111a 232d 3237 3a40 5365 686d 0000 0000 .#-27:@Sehm....
000000b0: 0000 0101 0000 0000 0000 000d 0000 0000 .....
000000c0: 0000 0000 0000 0000 0000 006f .....0
```

method selector

"NSKeyedArchiver": probably worth a google

# Anatomy of a DTXMessage

It looks like the method selector is serialized using an NSCoder, but what about the method arguments?

runningProcesses takes no arguments, so lets look at a different message:

```
00000000: 795b 3d1f 2000 0000 0000 0100 6d02 0000 y[=. ....m...
...
000000c0: 6d65 5824 636c 6173 7365 735c 4e53 4469 meX$classes\NSDi
000000d0: 6374 696f 6e61 7279 a212 1458 4e53 4f62 ctionary...XNSOb
000000e0: 6a65 6374 5f10 0f4e 534b 6579 6564 4172 ject...NSKeyedAr
000000f0: 6368 6976 6572 d117 1854 726f 6f74 8001 chiver...Troo..
00000100: 0811 1a23 2d32 373b 4148 505b 6263 6466 ...#-27;AHP[bcdf
...
00000160: 246f 626a 6563 7473 5924 6172 6368 6976 $objectsY$archiv
00000170: 6572 5424 746f 7012 0001 86a0 a207 0855 erT$top.....U
00000180: 246e 756c 6c50 5f10 0f4e 534b 6579 6564 $nullP...NSKeyed
00000190: 4172 6368 6976 6572 d10b 0c54 726f 6f74 Archiver...Troo
000001a0: 8001 0811 1a23 2d32 373a 4041 5356 5b00 .....#-27:@ASV[.
...
00000200: 7012 0001 86a0 a207 0855 246e 756c 6c5f p.....U$null_
00000210: 1032 696e 7374 616c 6c65 6441 7070 6c69 .2installedAppli
00000220: 6361 7469 6f6e 734d 6174 6368 696e 673a cationsMatching:
00000230: 7265 6769 7374 6572 5570 6461 7465 546f registerUpdateTo
00000240: 6b65 6e3a 5f10 0f4e 534b 6579 6564 4172 ken:...NSKeyedAr
00000250: 6368 6976 6572 d10b 0c54 726f 6f74 8001 chiver...Troo..
```

installedApplicationsMatching:registerUpdateToken:  
(accepts two arguments)

archived object (argument 1?)

archived object (argument 2?)



# Anatomy of a DTXMessage

The picture is coming into focus, but there's still a missing link: the message receiver. Who decides which object will receive the message?

Recall that we noticed something like this in Xcode:

```
id channel = [server makeChannelWithIdentifier:@"com.apple.instruments.server.services.deviceinfo"];  
[channel sendControlAsync:[DTXMessage messageWithSelector:@"runningProcesses" objectArguments:nil]];
```

-[DTXConnection makeChannelWithIdentifier:] seems to determine the message receiver. What does this method do? Note that we captured this message:

```
00000000: 795b 3d1f 2000 0000 0000 0100 a301 0000  y[=. . . . . . . . . .  
...  
00000090: 0708 5524 6e75 6c6c 5f10 3063 6f6d 2e61  ..U$null_.0com.a  
000000a0: 7070 6c65 2e69 6e73 7472 756d 656e 7473  pple.instruments  
000000b0: 2e73 6572 7665 722e 7365 7276 6963 6573  .server.services  
000000c0: 2e64 6576 6963 6569 6e66 6f5f 100f 4e53  .deviceinfo_..NS  
000000d0: 4b65 7965 6441 7263 6869 7665 72d1 0b0c  KeyedArchiver...  
...  
00000150: 6e75 6c6c 5f10 235f 7265 7175 6573 7443  null_#_requestC  
00000160: 6861 6e6e 656c 5769 7468 436f 6465 3a69  hannelWithCode:i  
00000170: 6465 6e74 6966 6965 723a 5f10 0f4e 534b  dentifier:..NSK  
00000180: 6579 6564 4172 6368 6976 6572 d10b 0c54  eyedArchiver...T  
00000190: 726f 6f74 8001 0811 1a23 2d32 373a 4066  root.....#-27:@f
```

com.apple.instruments.server.services.deviceinfo

requestChannelWithCode:identifier:



# dtxmsg: Synopsis

- Let's summarize:

When querying the process list, Xcode sent 5 messages to the Instruments server:

- \_notifyOfPublishedCapabilities:
- \_requestChannelWithCode:identifier:
  - identifier = "com.apple.instruments.server.services.deviceinfo"
- \_requestChannelWithCode:identifier
  - identifier = "com.apple.instruments.server.services.device.applicationListing"
- runningProcesses
- installedApplicationsMatching:registerUpdateToken:

# dtxmsg: Synopsis

- Let's summarize:

When querying the process list, Xcode sent 5 messages to the Instruments server:

- \_notifyOfPublishedCapabilities:
- \_requestChannelWithCode:identifier:
  - identifier = "com.apple.instruments.server.services.deviceinfo"
- \_requestChannelWithCode:identifier
  - identifier = "com.apple.instruments.server.services.device.applicationListing"
- runningProcesses
- installedApplicationsMatching:registerUpdateToken:

\* These messages request a list of all installed apps. Interesting, but not absolutely necessary.

# dtxmsg: Synopsis

- Let's summarize:

When querying the process list, Xcode sent 5 messages to the Instruments server:

- `_notifyOfPublishedCapabilities:`
- `_requestChannelWithCode:identifier:`
  - `identifier = "com.apple.instruments.server.services.deviceinfo"`
- `_requestChannelWithCode:identifier`
  - `identifier = "com.apple.instruments.server.services.device.applicationListing"`
- `runningProcesses`
- `installedApplicationsMatching:registerUpdateToken:`

\* Likely the minimal required behaviour for querying the proclist

# Final Steps: Decompilation

- Remember that our goal is to communicate with the server independently, without the assistance of Apple's code
- Our understanding of serialized messages must be perfect
- Fortunately we already have a lot of clues
- IDA is invaluable here. We can aggressively refine the decompilation for all of the critical methods we've found so far.

# Final Steps: Decompile


Decompilation yields some important structures:

```
// a DTXMessage object in memory
struct DTXMessage
{
    NSObject super;
    int32 _messageType;
    int32 _compressionType;
    uint32 _status;
    id _destructor;
    const char *_internalBuffer;
    uint64 _internalBufferLength;
    uint64 _cost;
    id _payloadObject;
    void *_auxiliary;
    bool _deserialized;
    bool _immutable;
    bool _expectsReply;
    uint32 _identifier;
    uint32 _channelCode;
    uint32 _conversationIndex;
    NSDictionary *_auxiliaryPromoted;
};
```

```
// header for serialized message data
struct DTXMessageHeader
{
    uint32 magic;
    uint32 cb;
    uint16 fragmentId;
    uint16 fragmentCount;
    uint32 length;
    uint32 identifier;
    uint32 conversationIndex;
    uint32 channelCode;
    uint32 expectsReply;
};
```

```
// layout of serialized payload
struct DTXMessagePayloadHeader
{
    uint32 flags;
    uint32 auxiliaryLength;
    uint64 totalLength;
};
```

# Anatomy of a DTXMessage: Finalized



# dtxmsg\_client

- We're finally ready to start sending messages ourselves
- A standalone application (dtxmsg\_client) is also included with the dtxmsg plugin source
- This app is able to invoke the runningProcesses method, retrieve its return value, and print it in plain text
- **Objective complete!**
- Source code for this app is available for reference

# dtxmsg\_client

- Extra credit:

There are some other methods that might be of interest to us:

- `-[DTApplicationListingService installedApplicationsMatching:registerUpdateToken:]`
- `-[DTProcessControlService launchSuspendedProcessWithDevicePath:bundleIdentifier:environment:arguments:]`
- `-[DTProcessControlService killPid:]`

- `dtxmsg_client` can invoke all of these methods as well
- They provide a little more insight into how complex method arguments and return values are handled



# Future Work

- The Instruments server is responsible for much more than just simple process control
- DTXMessage is also used by other iOS developer tools
- Hopefully this is just the beginning!
- Thanks for your time